









# SDC10-Box5\HP10-Box5 Pro Adapter inverter brand model

国际化 高科技 新能源 生态型

# CAN Communication


















Name	Compatible with inverter type (CAN)							
Inverter brand								
Inverter model	SNV5000-WPV SNA3000~5000	SUN-3~6KSG03LP1-EU	SPF 5000TL HVM-WPV-P、 SPF 5/6/8/10KT HVM、SPH 5000	GW3648D-ES	MultiPLUS-II	HYD 3000-ES	SI6.0, SI8.0H-13	Rii0 Sun 5KVA-S CA3090L
Communication mode	CAN	CAN	CAN	CAN	CAN	CAN	CAN	CAN
Communication baud rate	500K	500K	500K	500K	500K	500K	500K	500K



# CAN Communication



Name	Compatible with inverter type (CAN)								
Inverter brand									
Inverter model	GF1-3K48S1 GF1-5K48S1	AF3K-SL AF5K-SL	SP Series	SH5K-30	RHI-5K-48ES Solis_E0_5G_ENX S5-E01P5K-48-P	XTM 4000-48	REVO_RKL1 R8KLNA	REVO III 5.5-8KVA	Sol-Ark 8K & 12K
Communication mode	CAN	CAN	CAN	CAN	CAN	CAN	CAN	CAN	CAN
Communication baud rate	500K	500K	500K	500K	500K	500K	500K	500K	500K

Name	Compatible with inverter type (RS485)					
Inverter brand	Voltronic 	Deye 	Growatt 	SRNE 	SMK Solar 	EPEVER 
Inverter model	InfiniSolar VII	SUN-3~6KSG03LP1-EU SUN-12K-SG04LP3-EU	SPF 5000TL HVM-WPV-P SPF 10KT HVM	HF4850S80-H HF4850S80-145 HF2430S60-100	Glory M5000 HHP-48L	UP5000-HM8042
Communication mode	RS485	RS485	RS485	RS485	RS485	RS485
Communication baud rate	9600	9600	9600	9600	9600	9600